

Fig. 4






Fig. 5






REMOTE FEATURE INDICATION (MESSAGE WAITING - ON) WORK AT HOME PHONE **WORK AT WORK PHONE** 3rd PARTY **CUSTOMER ORIGINATES** A CALL TO WORK INCOMING CALL IS LOCATION NOT ANSWERED. CALL FORWARDS TO VOICE MAIL. **CUSTOMER LEAVES** LOCAL SWITCH SENDS FEATURE **VOICE MAIL ACTIVATOR TO LIGHT MWT** LIGHT. INDICATES VOICE MAIL PRESENT. PHONE AUTOMATICALLY **GENERATES A CALL TO THE** WAH PHONE. CONTAINS CODING TO LIGHT REMOTE INCOMING CALL MWT LIGHT. CONTAINING THE FEATURE INFORMATION. CALL REJECTED CALL CLEARED REMOTE MWT LAMP ENERGIZED

Fig. 10

0 1 0 0 0 7 7	REMOTE FEATURE INDICATION (MESSAGE WAITING - OFF)	WORK AT LIGHT DUONE
3rd PARTY	WORK AT WORK PHONE	WORK AT HOME PHONE
	VOICE MAIL PICKED UP. LOCAL SWITCH SENDS DEACTIVATE FEATURE FOR MESSAGE WAITING. PHONE RESPONDS BY SENDING CALL TO WAH PHONE THAT CONTAINS CODING TO EXTINGUISH THE LIGHT.	
	CALL CLEARED	INCOMING CALL CONTAINING THE FEATURE INFORMATION. CALL REJECTED REMOTE MWT LAMP EXTINGUISHED



7/10

· .		146	REJECTES CALL. COMMON MWT LAMP ON
	TELEPHONES	144	REJECTES CALL. COMMON MWT
	TELEP	142	REJECTES CALL. COMMON WWT
		140	REJECTES CALL. COMMON MWT LAMP ON
DUAL MESSAGE WAITING INDICATORS		LOGAL SWITCH	VOICE MAIL LEFT FOR ALL STATIONS. FEATURE ACTIVATE SENT TO DUAL MWT DISTRIBUTOR CALL TO 140 CALL TO 144 CALL REJECTED CALL TO 146 CALL REJECTED CALL TO 146 CALL REJECTED CALL TO 146
		DUAL MWT DISTRIBUTOR	DUAL MWT DISTRIBUTOR DETECTS MWT FEATURE ACTIVATOR AND ORIGINATES A CALL TO EACH OF THE TELEPHONES WITH MWT ACTIVATOR CODE. CALL TO 140 CLEARED CALL TO 142 CLEARED CALL TO 146 CLEARED

Sig. 12

|--|

